

Safety Data Sheet

SULFATE D'AMMONIUM

Safety Data Sheet dated 28/10/2019, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Identification of the substance:

Trade name: SULFATE D'AMMONIUM

CAS number: 7783-20-2

EC number: 231-984-1

REACH number: 01-2119455044-46-****

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Oenological product

1.3. Details of the supplier of the safety data sheet

Company:

SOFRALAB

79 AV. A.A. Thévenet - CS11031

51530 MAGENTA - FRANCE

Tel: 0033 (0) 326 51 29 30 - Fax: 0033 (0)3 26 51 87 60

Competent person responsible for the safety data sheet:

lcq@sofralab.com

1.4. Emergency telephone number

Emergency telephone number of the company and/or of an authorised advisory centre:

ORFILA 0033 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Identification of the substance:

Safety Data Sheet

SULFATE D'AMMONIUM

Chemical characterization: AMMONIUM SULPHATE
CAS number: 7783-20-2
EC number: 231-984-1
REACH number: 01-2119455044-46-****
None.

3.2. Mixtures
N.A.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Can be harmful if swallowed

Cough

Sore throat

Dyspnoea

Difficulty breathing

Vomiting

Diarrhea

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

Safety Data Sheet

SULFATE D'AMMONIUM

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Tightly closed

Store away from direct sunlight

Keep away from heat and ignition sources

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

AMMONIUM SULPHATE - CAS: 7783-20-2

Consumer: 12.8 mg/kg bw/day - Exposure: Human Dermal - Frequency: Long Term, local effects

Consumer: 1.667 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 6.4 mg/kg bw/day - Exposure: Human Oral - Frequency: Long Term, local effects

Worker Professional: 42.667 mg/kg bw/day - Exposure: Human Dermal - Frequency: Long Term, local effects

Worker Professional: 11.167 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Protection for skin:

Safety Data Sheet

SULFATE D'AMMONIUM

Overall.

Protection for hands:
 Butyl caoutchouc (butyl rubber).
 PVC (polyvinyl chloride).

Respiratory protection:
 Mask with filter P2

Thermal Hazards:
 None

Environmental exposure controls:
 None

Appropriate engineering controls:
 None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	White solid	--	--
Odour:	Odourless	--	--
Odour threshold:	N.A.	--	--
pH:	5-6	5 %	--
Melting point / freezing point:	> 280°C	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	850 kg/m ³	--	--
Solubility in water:	76g/100mL	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	- 5.1	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
	N.A.	--	--

Safety Data Sheet

SULFATE D'AMMONIUM

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
The heating
- 10.5. Incompatible materials
Oxidants and bases
- 10.6. Hazardous decomposition products
in case of fire, possibility of nitrogen oxides, sulfur oxides
Ammonia, amines

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
Toxicological information of the substance:
AMMONIUM SULPHATE - CAS: 7783-20-2
 - a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
Test: LD50 - Route: Oral - Species: Rat = 4540 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 1000 mg/m³ - Duration: 8h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment.

AMMONIUM SULPHATE - CAS: 7783-20-2
 - a) Aquatic acute toxicity:
Endpoint: EC50 Daphnia = 169 mg/l - Duration h: 48 - Notes: Fresh water
Endpoint: LC50 Fish = 53 mg/l - Duration h: 96 - Notes: Fresh water
Endpoint: LC50 Fish > 39200 l - Duration h: 96 - Notes: Mortality
- 12.2. Persistence and degradability
N.A.
- 12.3. Bioaccumulative potential
AMMONIUM SULPHATE - CAS: 7783-20-2
Bioaccumulative - Test: 1 -5.1 - Duration h: N.A. - Notes: Low
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment

Safety Data Sheet

SULFATE D'AMMONIUM

vPvB Substances: None - PBT Substances: None

- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP) and amendments
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
Restrictions related to the product:
No restriction.
Restrictions related to the substances contained:
No restriction.
- Where applicable, refer to the following regulatory provisions :
Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)
- Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):
N.A.
- 15.2. Chemical safety assessment
No

Safety Data Sheet

SULFATE D'AMMONIUM

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
- CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.